

SCREEDED CONCRETE SURFACE

TIE WIRE SUPPORT FROM TOP ANCHOR BOLTS TO STEEL GRID IN WALL CAVITY

ANCHOR BOLTS SPACING PREDRILLED INTO PANELS

HORIZ/VERT REINFORCEMENT AS PER CODE OR AS SPECIFIED

PANELS SCREWED TO WEB

1/2" (13mm) PLYWOOD FORMING PANELS


NUDURA 8" (203mm) STANDARD FORM UNIT

HORIZONTAL STEEL TIE WIRED TO VERTICALS NEAR TOP OF WALL AS SHOWN

CONTINUOUS CONC. BEAM TO FLOOR CONNECTION

WET SET DOWEL TO MATCH VERTICAL REINFORCEMENT BETWEEN POURS OR AS SPECIFIED

NUDURA ALIGNMENT SYSTEM (MUST BE SHIMMED 3/4" BELOW PLYWOOD TO MAINTAIN STRAIGHTNESS OF FORM)



DISCLAIMER NOTICE:
SPECIFIC INFORMATION
REQUIRED FOR COMPLIANCE
WITH LOCAL CODES IS THE
RESPONSIBILITY OF THE
DESIGNER



NUDURA

INTEGRATED BUILDING TECHNOLOGY

Building Value.

NUDURA 8" (203mm) FORM UNIT
STC / FIRE WALL DETAILS
INTERMEDIATE FLOOR CONNECTION
INTERIM CONSTRUCTION
METHOD

REV. NO.
001 KS

REV. DATE:
AUGUST

DRAWN BY:
T. VAN CLIEAF

DWG NO.
FW8D2A

SCALE:
1 : 8